



VCOM INTERNATIONAL LTD.

INNOVATIVE TECH FOR BETTER LIVING

PRODUCT CATALOG



Contents



■ Work from Home Series

Home Office Assistant.....	2
Wireless Calculator Numeric Keypad.....	3
SSD Enclosure Series.....	4

■ Home Relaxation Series

Multi-Display HUB&HUD Cable.....	6
Smart Anti-loss Tag&GaN Power Charger..	8

■ USB-C - Future of Connectivity

USB-C HUB.....	10
USB-C Cable&Adapter.....	11

A Cozy Hybrid Workspace



CUE602S



TYPE-CM TO CF+SD/TF4.0 Card

SD 4.0: 236MB/S
TF 4.0: 220MB/S
CF: 130M/S
GL3230S+LQFP128

CUE603S



TYPE-CM TO CF Express Type-B Card Reader

CF: 700M/S Transfer speed
RTL9210VB

DD605



USB 3.0 HDMI Capture Card

HDMI - Max input 4K@30Hz
Output USB-A 3.0
Video output resolution: Max output can be 1080P@60Hz
Audio Output: 3.5MM 2.0 stereo output
HDMI Loop-out: 1080P@60Hz

CUE67



10 in 1 USB-C Hub

CUE68



10 in 1 USB-C Hub

CUE76-GRY



10 in 1 USB-C Hub

USB A/M to HDMI*2+DP*2+MIC+SPK+USB3.0*4+C Data
+SD+TF+RJ45+DC12V
(Use only one from the group of HDMI or DP ports)

CUE75



11 in 1 USB-C Hub

DK208



Ergonomic Wireless Silent Keyboard

2.4G BK Solution
Wireless Receiving Distance: More than 10 meters
Supports US/UK/KR/BR/JP Keyboard Layout
Palm Wrapping Technology
Battery: 2*AA Alkaline Batteries
Keyboard Size: 456*230*53.2MM 1000g



Ergonomic Design



Smart Hibernation

Ergonomic Wireless Silent Mouse

2.4G BK Solution + 30651C
Wireless Receiving Distance: 10 meters
Three-speed DPI: 800/1200/1600
Silent left and right buttons
Black silicone roller with ON/OFF switch
Battery: 1*AA alkaline battery Key life 3 million times

Make Data Entry & Calculations Easier

2 in 1 Wireless Calculator Numeric Keypad



34 Keys Layout



Win/Mac OS



Wireless



One-touch
Switching



2.4G Dual-Mode



Battery Durability



DK513

10Gbps



Visual Fingerprint Encryption M.2 SSD Enclosure

SSD Enclosure Series

CU855SN-F

- Fingerprint Encryption
- Fast heat dissipation
- UASP
- USB-C
- Tool-free installation



Fingerprint Encryption SSD Enclosure
 Transmission Speed: Up to 10Gbps
 SSD Compatibility: M Key and M+B Key SSDs
 Compatible with 2280/2242/2230 form factors
 Encrypted: Fingerprint Encryption
 Support capacity: 8TB
 Additional Features: Operating status display

CU853N

- Magnetic Design
- Fast heat dissipation
- UASP
- USB-C
- Tool-free installation



SSD Magnetic Enclosure for M.2 NVMe Protocol
 Protocol: M.2 NVMe
 Compatibility: M Key & (M+B) Key 2230 SSD
 Transmission Speed: 10Gbps
 Max Capacity: 2TB
 Support System: Windows, Mac OS, Linux ,Android
 Support UASP & Trim: support

CU850N

- Fast heat dissipation
- UASP
- USB-C
- Tool-free installation



SSD Enclosure for M.2 NVMe Protocol
 Protocol: M.2 NVMe
 Compatibility: M Key & (M+B) Key 2280/2260/2242/2230 SSD
 Max Capacity: 4TB
 Transmission Speed: 10Gbps
 Support System: Windows, Mac OS, Linux ,Android
 Support UASP & Trim: support

CU901SN

- Fast heat dissipation
- UASP
- USB-C
- USB-A
- Tool-free installation



SSD Enclosure with 4 in 1 HUB
 10Gbps+USB-A3.2*2+1*USB-C-3.2 10G
 Include package and cable NVMe & SATA M.2 SSD Enclosure, USB 3.1 Gen 2
 M Key & B&M Key Hard Drive Adapter, Supports UASP for SSD Size 2280/2260/2242/2230

CU853SN

- Magnetic Design
- Fast heat dissipation
- UASP
- USB-C
- Tool-free installation



SSD Magnetic Enclosure for M.2 NVMe and SATA Dual Protocol
 Protocol: M.2 NVMe & M.2 SATA
 Compatibility: M Key & (M+B) Key 2230 SSD
 Transmission Speed: 10Gbps
 Max Capacity: 2TB
 Support System: Windows, Mac OS, Linux ,Android
 Support UASP & Trim: support

CU850SN

- Fast heat dissipation
- UASP
- USB-C
- Tool-free installation




SSD Enclosure for M.2 NVMe and SATA Dual Protocol
 Protocol: M.2 NVMe & M.2 SATA
 Compatibility: M Key & (M+B) Key and M.2 SATA (M+B) Key 2280/2260/2242/2230 SSD
 Transmission Speed: 10Gbps & 6Gbps
 Max Capacity: 4TB
 Support System: Windows, Mac OS, Linux ,Android
 Support UASP & Trim: support

Smart Tech for Home Relaxation





WIRELESS EXTENDER



Easy Screencast

Enjoy UHD Experience

DD543



4K Wireless Screen Extender

1 Type C+PD100W wireless TX module
1 HDMI +5V Type C RX module
Maximum transmission distance: 15M
Maximum resolution 3840*2160@4K 30Hz

CUE12-GRY




4 in 1 USB-C Hub

HDMI4K/60Hz+HDMI1080P/60Hz*2+PD
HDMI1: 3840*2160/60Hz;HDMI2:1080P/60Hz;HDMI3:1080P/60Hz
System Compatibility: Window,MacOS,Android
Fast Charging: PD3.0, Max 100W Power Adaptor

16K/8K UHD HDMI & DP Cable Series

CG655



16K DP Cable

DisplayPort 2.1 DP80 Cable, UHBR20, FSDP (Full Size DP) Cable.
Bandwidth: 80Gbps, supports 16K@60Hz, 8K@60Hz, 4K@120Hz/240Hz, 2K@240Hz, supports HBR3, HDCP2.2/CEC/EDID/MST, gold-plated connectors, Metal Shell, Black Cotton Net Braid
Backward compatible with DisplayPort 1.4 and 1.2 cables.


CU490



USB Type C to DP 16K Cable

Connector 1: USB C Male
Connector 2: Display port 2.1V Male
Bandwidth up to 40Gbps
Resolution: Max 16K@30Hz, 8K@60Hz.
4k@240/144/120/60/30Hz/
2K@240/144/120/60Hz,
1080P@360/240/120/60Hz
Aluminum Shell
Gold plated, black nylon braid

CG864




HDMI AM/AM 2.1V Cable

Bandwidth up to 48Gbps, Support Ethernet , 3D, HDCP 2.2,HDR,Support 8k@60Hz/ 4k@120Hz

24K Gold plated Connector, Metal Shell, Black braid

CG860




HDMI AM/AM 2.1V Cable

Bandwidth up to 48Gbps, Ethernet , 3D, HDCP 2.2,HDR,Support 8k@60Hz/ 4k@120Hz

24K Gold plated Connector, Metal hood, black

CG865




HDMI AM/AM 2.1V Cable

Bandwidth up to 48Gbps, Ethernet , 3D, eARC, HDCP 2.2, HDR, Support 8K@60Hz/ 4K@120Hz/2K@144Hz

24K Gold plated Connector, Metal Shell, Black braid

CU423MV




USB Type C to HDMI A/V Cable

Connector 1: USB C Male
Connector 2: HDMI Female
Input: USB type C Male
Output: HDMI type A Female
Resolution: Max 8K UHD 8K@60Hz/ 4K@120Hz/2K@144Hz
Aluminum Shell, Black braid



Attach and Track Your Bag

Smart Anti-loss Tag



Smart Anti-loss Tag Series

NLT-10A



Work with Apple FindMy



Smart Tag, 4pc/pack

Anti-lost device
Battery: CR2032
Battery voltage: 3V
Standby time: 10-12 months (typical usage)
Buzzer: >75 dB
Wireless Range: > 40m (open line of sight)
APP: FindMy

S10



Work with Apple FindMy



Smart Tag, 4pc/pack

Anti-lost device
Battery: CR2032
Battery voltage: 3V
Standby time: 1 year
Buzzer: 90-110dB
Wireless Range: 10-20m indoor, 20-60m No barrier
APP: FindMy

S11



Work with Apple FindMy



Name Card Anti-lost device

Battery: CR2016
Battery voltage: 3V
Standby time: 2 year
Buzzer: 90-110DB
Wireless Range: 10-20m indoor, 20-60m No barrier
APP: FindMy

GaN Power Fast Charger Series

PA6515E

67W Ultra Power



LED Display Screen



Faster Charging



USB *1



USB-C *2



67W GaN Power Strip with LED Display Screen.

Input (AC): 250VAC, 50/60Hz, 16A
USB Input: 100-240VAC, 50/60Hz, 1.15A Max
AC Socket Output: 3680W Max

USB-C1 / USB-C2 Output
5V=3A / 9V=3A / 15V=3A / 20V=3.35A (67W Max)

USB-A Output
5V=3A / 9V=2A / 12V=1.5A (18W Max)

Combined Output
USB-C1 + USB-C2: 45W Max + 20W Max (65W Max)
USB-C1 + USB-A: 45W Max + 18W Max
USB-C2 + USB-A: 5V=2A + 5V=2A (10W Max)
USB-C1 + USB-C2 + USB-A: 45W Max + 20W Max (65W Max)

PQ2001DI

200W Ultra Power



Faster Charging



USB *1



USB-C *2



200W GaN Power Adapter

AC Input: 100-240V~, 50/60Hz, 3.0A Max

USB-C1 / C2 / C3 / C4 Output
5.0V=3A / 9.0V=3A / 12.0V=3.0A / 15.0V=3A / 20.0V=5.0A (100.0W Max)

USB-A1 / A2 Output
5.0V=3.0A / 9.0V=2.0A / 12.0V=1.5A (18.0W Max)

Total Output: 200.0W Max
(When the maximum output is 200W, it will drop to a maximum output of 150W after being powered on and working for half an hour.)



USB-C

The Future of Connectivity



Color

CUE11S

5 in 1 USB-C Hub



4 x USB3.2 Gen2 (10Gbps)
only for data syncing, not support video output
or charging



1 x PD 3.0 100W



USB-C HUB Series

CUE18

7 in 1 USB-C Hub



1 x HDMI
(4K@60Hz)



1 x USB A 3.0
(5Gbps)



2 x USB-A 2.0
(480Mbps)



1 x SD 2.0



1 x TF 2.0



1 x PD 3.0
100W



CUE39

7 in 1 USB-C Hub



1 x HDMI
(4K@60Hz)



1 x HDMI
(1080P@60Hz)



2 x USB A 3.0
(5Gbps)



1 x SD 2.0



1 x TF 2.0



1 x PD 3.0
100W



CUE15

3 in 1 USB-C Hub



1 x HDMI (4K@60Hz)



1 x USB A 3.0 (5Gbps)



1 x PD 3.0
100W



CU450S

4 in 1 USB-C Hub



1 x HDMI
(4K@60Hz)




1 x HDMI
(4K@30Hz)



1 x PD 3.0
100W



1 x USB-A 2.0
(480Mbps)



CU4511

5 in 1 USB-C Hub



1 x HDMI
(4K@60Hz)



1 x 3.5mm



1 x PD 3.0
100W



1 x VGA
(1080P@60Hz)



1 x USB A 3.0
(5Gbps)



CU4512

4 in 1 USB-C Hub



1 x HDMI
(4K@60Hz)



1 x VGA
(1080P@60Hz)



1 x PD 3.0
100W



1 x USB-A 2.0
(480Mbps)



USB-C High Speed Data Transfer

CU520M



USB-C 20Gbps USB4 Cable

Material: Aluminum shell+Braid+Nickel plated plug
Length:2m
Data transfer: 20Gbps USB4
Current Rating: 5A
Power: Built in E-Marker Chip support 100W
USB Power Delivery :Support
Video: 4K@60Hz
Function: Charge, Data Transfer, Video, Audio
Compatible with Thunderbolt 4/3, USB3.2 & 3.1 Transfer protocol

CU540M



USB-C 40Gbps USB4 Cable

Material: Aluminum shell+Braid+Nickel plated plug
Length:1.2m
Data transfer: 40Gbps USB4
Current Rating: 5A
Power: Built in E-Marker Chip support 100W
USB Power Delivery :Support
Video: Single 8K@30Hz 5K@60Hz or Dual 4K@60Hz
Function: Charge, Data Transfer, Video, Audio
Compatible with Thunderbolt 4/3, USB3.2 & 3.1 Transfer protocol

CU541M



USB-C 40Gbps USB4 Cable

Material: Aluminum shell+Gold plated plug
Length:1.2m
Data transfer: 40Gbps USB4
Current Rating: 5A
Power: Built in E-Marker Chip support 240W
USB Power Delivery :Support
Video: support 8K@60Hz resolution
Function: Charge, Data Transfer, Video, Audio
Compatible with Thunderbolt 3, USB3.2 & 3.1 Transfer protocol

CU543MR



USB-C 40Gbps USB4 Right Angle Cable

Coaxial line, Aluminum shell 1.2m
Data transfer: 40Gbps USB4
Current Rating: 5A
Power: Built in E-Marker Chip support 240W
USB Power Delivery :Support
Video: Single 8K@30Hz 5K@60Hz or Dual 4K@60Hz
Function: Charge, Data Transfer, Video, Audio
Compatible with Thunderbolt 4/3, USB3.2 & 3.1 Transfer protocol

CU414



USB-C Elbow VR Glasses Cable

Cable Material: TPE
Shell Material: TPE
Length: 3M
Connector: USB-C TO USB-C
Conductor: Copper
Function: 20V 3A Fast Charging +10Gbps Data Transfer
Application: Meta/Oculus Quest 1/2, Mobile Phone, Tablet, PC, Laptop, etc

CU580M



USB-C 80Gbps USB4 Cable

Material: Aluminum shell+Nickel Plated plug
Data transfer: 80Gbps USB4,
Power: Built in E-Marker Chip support 240W/100W.
Video: Dual screens at 4K@60Hz/5K@60Hz, Single screen at 8K@60Hz.
Compatible with Thunderbolt 4/3, USB3.2 & 3.1 Transfer protocol
Function: Charge, Data Transfer, Video, Audio

CU419



USB-C Magnetic Retractable Cable

2 versions available
USB Version USB2.0
Data Transfer Speed High-Speed (480 Mbps)
USB Version USB3.2 Gen 2
Data Transfer Speed SuperSpeed (10 Gbps)

Cable Type USB-C to USB-C cable
Connector Material Nickel-plated
Shielding Double shielded
Compatibility USB 1.1, USB 2.0, USB 3.2,
USB Power Delivery (USB PD)
Charging Standards PD100W

CA448D-2Pack



USB4 Adapter

Material: aluminum shell
Function:
40Gbps Data Transfer
Max 240W Fast Charging
8K Video Output

Feature: The USB C adapter allows the cable to have a suitable extension direction, which can avoid the wear of the cable and the input port of the device, prolong the service life, and support charging and data transmission.

CU544



USB-C 40Gbps USB4 FPC Flat Cable

Soft and easy to bend
Data transfer: 40Gbps USB4
Current Rating: 5A
Power: Built in E-Marker Chip support 240W
USB Power Delivery :Support
Video: Single 8K@30Hz 5K@60Hz or Dual 4K@60Hz
Function: Charge, Data Transfer, Video, Audio
Compatible with Thunderbolt 4/3, USB3.2 & 3.1 Transfer protocol



VCOM INTERNATIONAL LTD.

Head Quarter

>1/2F, Building D, Youke Business Center, Kexin Rd, Tangxia,
Tianhe District, Guangzhou City, Guangdong Province, China

Cable & Electronic Factory

>Xiaopenggang Industrial Zone, Longxi Town, Boluo District,
Huizhou City, Guangdong Province, China
Tel:+86-752-6873123 Fax:+86-752-6873155



www.vcom.com.hk 