



The CES 2026 logo features the year "2026" in a stylized font where the "2" is composed of horizontal grey lines and the "0" and "6" are in red. Below it, the letters "CES" are in a bold, dark grey sans-serif font.

A white rectangular box containing the text "VCOM PRODUCT CATALOG" in a bold, black, sans-serif font.





Contents

■ Creator's Command Center

High-speed Transfer Series.....	2
Micphone & External Selfie Monitor Screen	3

■ Next Charging Solution

Car Charger.....	5
Wireless Charging Station.....	5
Travel Charger.....	6

■ Next Gen Workspace

Keyboard & Stream Dock	8
AI Accessories	9
Find My Series	11

■ Hot Sale & New Arrivals

USB4 Cable.....	15
USB Adapter.....	20
USB Converter.....	25

CREATOR'S Command Center



YOUR FINGER IS YOUR KEY

Fingerprint Encryption SSD Enclosure

CU856N



Magnetic Portable SSD

Port Type: USB-C
Data Transfer Speed: Up to 20 Gbps
Cable Type: USB-C to USB-C
Power Requirement: 5V
Material: Aluminum Shell
Compatibility: iOS, Windows, Android, macOS

USB Version: USB 3.2 Gen2x2
Storage: 512GB, 1TB, 2TB
Cable Length: 65mm
Plug and Play: Yes



CU855SN-F



M.2 NVMe SSD Enclosure with Fingerprint Access

USB Version: USB 3.2 GEN2
Data Transfer Speed: Up to 10Gbps
SSD Compatibility: M.2 NVMe M Key+B+M Key SSD
Supported SSD SIZE: 2230/ 2242/ 2280
LED Indicators: Power indicator, Operating status indicator
Encrypted: Fingerprint Encryption
Compatible system: Windows, Mac OS, Android
material: Aluminum Shell



CU874N



USB4 M.2 NVMe SSD Enclosure

USB4 SSD Enclosure for M.2 PCI-E NVME Protocol 40G
Supported SSD SIZE: 2280
Color: Gray, material: Aluminum Shell



CU875N



Thunderbolt 5/USB4 V2.0 Compatible 80Gbps M.2 NVMe SSD Enclosure

Color: Gray
Plug and Play: Yes
Cable Type: Type-C to Type-C
Compatibility: Thunderbolt 4/3, USB4
Compatible Systems: Windows, Mac OS, Android

Host Connectors: 1x USB Type-C
Material: Aluminum Alloy
Data Transfer Speed: 80Gbps
Built-in Silent Fan: Yes



CU876N



Thunderbolt 5/USB4 V2.0 Compatible 80Gbps M.2 NVMe SSD Enclosure

Color: Gray
Plug and Play: Yes
Cable Type: Type-C to Type-C
Compatible Systems: Windows, Mac OS, Android
Data Transfer Speed: 80Gbps, 10Gbps
(When connected to a non-Thunderbolt USB-C Host)
Compatibility: Thunderbolt 4/3, USB4/USB3.2Gen2



YOUR BEST SELFIES

NOW FROM THE BACK CAMERA



M952S

Vlog Selfie Monitor Screen

16:9(3.97-inch)IPS Display,250 cd/m² Brightness,480 × 800 60Hz
 Contrast: 700:1 (typical)
 Colors: 16.7K (60% NTSC)
 Buttons: Power, Aspect Ratio, Screen Flip, Brightness
 Battery: 1500 mAh (3 hours wireless batterylife)
 Ports: USB-C (power)
 Weight: 106 g
 Dimensions: 105x62x10mm
 Available Color: White
 Compatibility: iOS 9.0+, Android 2.0+, HarmonyOS 3.0+, etc.
 Includes: 2x USB-C cables, remote, magnet strip, adapter



M953

Vlog Selfie Monitor Screen

3:4(3.97-inch) IPS Display,300 cd/m² Brightness,296 × 240 60Hz
 Contrast: 1200:1 (typical)
 Colors: 16.7K (72% NTSC)
 Buttons: Power, Aspect Ratio, Screen Flip, Brightness
 Battery: 760 mAh (2 hours wireless batterylife)
 Ports: USB-C (power)
 Weight: 59 g
 Dimensions: 72x60x11.8mm
 Available Color: Black
 Compatibility: iOS 9.0+, Android 2.0+, HarmonyOS 3.0+, etc.
 Includes: USB-A to USB-C cable, Magnetic attachment sheet, Cloth bag



M909

USB/XLR Dynamic Microphone

Power Supply:USB Power Supply (5V DC) / 48V Phantom Power
 Microphone Core:Dynamic Microphone Core
 Polar Pattern:Supercardiod
 Sensitivity:-50dB ± 2dB (0dB = 1V/Pa) (at 1KHz), tested with BK Tester
 Signal-to-Noise Ratio (SNR):78dB
 Frequency Response:50Hz - 15KHz
 System:Windows 7/8/10, Mac OS, Linux, Android, WINDOWS, LINUX
 Bit Depth: (16bit) / (24bit) @ 48KHz
 Recording Sample Rate:48/96/192KHz
 Playback Sample Rate:48KHz Stereo
 Total Harmonic Distortion (THD):< 0.8% (at 1KHz)
 Maximum SPL:105dB (THD < 1% at 1KHz)
 Material:Microphone: ABS + Metal Stand
 Port: USB-C, 3.5mm, XLR
 Color: Black



Next Charging Solution



Powerful Magnetic Suction



Wireless Charging

M-PT-41

50W car Charger with Built-in Retractable USB-C Cable

Housing: Flame-retardant ABS+PC composite.
 Input: DC 12~24V (fit most vehicles).
 Ports:
 USB-C: 15W (5V/3A, USB DCP)
 USB-A: 12W (5V/2.4A, Apple-compatible)
 Retractable Lightning (70cm); 12W (5V/2.4A)
 Retractable USB-C (70cm); 30W (PD3.0/PPS;
 5V/3A, 9V/3A, 12V/2.5A; PPS 3.3~11V/3A)
 Total Output: Up to 50W; QC + PD together limited to 15W (5V/3A)
 Cables: Dual built-in retractable (1m Lightning + 1m USB-C) for tangle-free reach.



M-SC07

96W car Charger with Built-in Retractable USB-C Cable

Housing: Flame-retardant, heat-resistant ABS+PC composite.
 Input: DC 12~24V – compatible with cars, SUVs, vans, and trucks.
 Ports:
 USB-C: 36W (12V/3A)
 USB-A: 27W (QC3.0, 9V/3A)
 Retractable Lightning (70cm); 30W (Apple, 12V/2.5A)
 Retractable USB-C (70cm); 30W (PD3.0/PPS; 5V/3A, 9V/3A, 12V/2.5A; PPS 3.3~11V/3A)
 Total Output: Up to 96W; QC + PD ports together limited to 15W (5V/3A)
 Cables: Dual built-in retractable (1m Lightning + 1m USB-C) for tangle-free use.
 On-screen Display: Shows receiving frequency, volume level, and car battery voltage.



M171

Magnetic Wireless Charger with Cleaning Kit

Complies with CE, ROHS, FCC certifications
 Applicable Models
 Charging Protocol PD
 Charger applicable form 2
 Wireless charging form 2
 Plug standard
 Output current current total power 15W
 Output current 1.67A
 Maximum output power 15W
 Connector type:TYPE-C
 Output power: 15W
 Color: black



M172

Magnetic Travel Charging Station with adapter kit

Material: ABS + PVC
 Wire gauge: 55/0.08TC*2C + 16/0.08TC*3C
 1. Type-c to Type-c cable, length 28CM (20V/3A 60W MAX);
 2. Type-c to Lightning adapter (5V/2.4A);
 3. USB to Type-c adapter (5V/2.4A MAX);
 4. USB to Type-c Lightning adapter
 5. Card removal tool
 6. Phone stand
 7. SIM card slot
 8. Apple Watch wireless charging (2.5W)
 9. Phone wireless charging 15W
 10. Headphone wireless charging 5W
 Function: Data transmission and charging are synchronized.
 Net weight: 105g



M176

Wireless Charger with adapter kit

Material: ABS + PVC
 Colors: Black
 1. Type-c to Type-c cable, length 28CM (15V/3A 45W MAX);
 2. Type-c to Lightning adapter (5V/2.4A);
 3. USB to Type-c adapter (5V/2.4A MAX);
 4. Type-c to Micro-USB adapter (5V/2A MAX)
 5. Card removal tool
 6. Phone stand
 7. Nano-SIM card slot;
 8. Hybrid slot for Micro-SIM card / SD card.
 9. Phone wireless charging 15W

Net weight: 45g
 Size: 57*85.5*10mm



M169

Magnetic wireless charger for iPhone (MagSafe compatible)

Maximum output power: 25 W
 Supports MagSafe charging for iPhone 12 and later models



M174

Retractable USB-C Cable with adapter kit

Material: Aluminum Alloy + ABS + TPE

Colors: Black, White

Wire gauge: 55/0.08TC*2C + 16/0.08TC*3C

1. Type-c to Type-c Cable, L = 100CM (20V/3A 60W MAX);

2. Type-c to Micro Adapter (5V/2.4A MAX);

3. Type-c to Lightning Adapter (5V/2.4A)

4. USB to Type-c Adapter (5V/2.4A MAX)

5. USB to Type-Lightning Adapter

6. USB to Type-Micro Adapter

7. Card Puller

8. Mobile Phone Stand

9. SIM Card Slot

Function: Data transmission and charging synchronization

Type-c to Type-c :480Mbps



M173

Watch Charger with adapter kit

Material: ABS + PVC

Colors: Black

Wire specification: 55/0.08TC*2C + 16/0.08TC*3C

1. Type-c to Type-c cable L = 28CM (20V/3A 60W MAX);

2. Type-c to Lightning adapter (5V/2.4A);

3. USB to Type-c adapter (5V/2.4A MAX);

4. USB to Type-Lightning adapter;

5. Card removal tool;

6. SIM card slot;

7. Apple Watch wireless charging

Function: Data transmission and charging synchronization

Type-c to Type-c :480Mbps



M177

Adapter kit

Material: ABS + PVC

Color: Black

Contents:

1.Type-c to Type-C cable, L = 28 cm (480Mbps, 15V/3A, up to 45W);

2.Type-C to Lightning adapter (5V / 2.4 A);

3.USB to Type-C adapter (up to 5V / 2.4 A);

4.USB-C to Micro-USB adapter;

5.SIM card ejection tool;

6.Nano-SIM card slot;

7.Hybrid slot for Micro-SIM card / SD card.

Weight: 34g



M175

USB-C Adapter Kit with Travel Case

Core Specifications (Shared Across Most Adapters):

Transmission Bandwidth: 40 Gbps (USB4 v2.0)

Max Power Delivery: 240W

Max Video Support: 8K @ 60Hz

Material: Aluminum Case (Space Gray)

Connector: Stainless Steel with Nickel Plating

Included Adapter: USB4 U-Shape Male-to-Male Adapter x 1

USB4 U-Shape Male-to-Female Adapter x 1

USB4 L-Type Male-to-Female Adapter x 3

USB4 Standard Male-to-Female Adapter x 1

Note: This unit supports 10 Gbps and 60W power

USB-A Male to USB-C Female Adapter x 1

Speed: USB-C side: 10 Gbps / USB-A side: 480 Mbps

Power: 60W

USB4 240W Short Cable (0.13m) x 1



M178

Retractable USB-C Cable with adapter kit

Material: ABS + TPE

Colors: Black

1. Type-c to Type-c Cable, L = 100CM (20V/3A 60W MAX);

2. Type-c to Lightning Adapter (5V/2.4A)

3. USB to Type-c Adapter (5V/2.4A MAX)

4. Apple Watch wireless charger, 2.5W

5. Card removal tool

6. Mobile Phone Stand

7. Nano-SIM card slot;

8.Hybrid slot for Micro-SIM card / SD card.

Net weight: 85g

Type-c to Type-c :480Mbps



Next Gen Workspace



Keyboard & Stream Dock

M620

Stream Deck Studio Controller

Product Name: Visual Custom Control Console MBox N3
I. Basic Configuration Parameters:
Number of Buttons: 6 Number of Knobs: 3
Operating Voltage/Current: 5V/0.6A Power Consumption: 3.0W
Connection Method: Wired Connector: USB-C
Backlight: LCD
II. Product Dimensions: 131*80.2*68.4 mm
Weight: 156g
Keycap Material: Acrylic
Top/Bottom Cover/Positioning Plate Material: ABS
Axis Information: Silicone
Knob Material: Aluminum Alloy
III. Included Accessories* Quantity MBox N3*1
USB 2.0 Type-A to Type-C Cable*1
Instruction Manual*1
Cable Length: 1.5m
IV. Supported Operating Systems: Windows 7 64-bit and above/macos 10.15 and above



CUE41

Stream hub with trigger actions screen

Stream Dock Visual Expansion Dock
I. All-in-one Expansion Dock
1. Type-C (PD) Connector: Supports up to 100W fast charging(reserve 15 watts, Actual charging to host is 85w)
2. HDTV: Maximum reChip is 3840*2160
3. RJ45 Connector: Adaptive 10/100M Ethernet
4. SD/TF Connector: Compatible with SD or TF card reading and writing (*SD card/TF card cannot work simultaneously)
5. USB 3.0: Maximum transmission bandwidth up to 5.0Gbps
II. Custom Screen
1. 3*4 custom touch screen buttons
2. DIY macro command icons
3. Custom layout
4. Three modes: Screen saver mode, button mode, GIF display mode



CU604

AI-Powered Mouse

AI features require client software:<https://www.miclink.net/AIOFFICE/> with Voice, Translate, AI Smart Buttons
2.4GHz (Receiver) + Bluetooth Connection
Wireless Mode: 10 m, Voice capture: 1 m
Bluetooth 1, Bluetooth 2, and 2.4G can be switched via the bottom button.
5 Adjustable Levels (Default 1600 DPI, Selectable: 1000 / 1200 / 1600 / 2400 / 4000), Quiet click for Library, Mute, Record
Surface Compatible: All Paper, Mouse Pad, White/Black Test Surface
Left/Right Buttons: Silent Switch (3 million clicks, 70-80G pressure)
Side/Middle Buttons: Micro Switch (3 million clicks, 60-70G pressure)
2 months of battery life for 2h of charging
Sensor: PixArt 3065 Optical Sensor
USB-C charging cable, L=0.8 m



DM606

Quiet Clicks Mouse With Magspeed scroll wheel

- 4-way metal scroll wheel (up/down/left/right) with fast flying scroll (Scroll 1,000 lines per second)
- Quiet Clicks—up to 90% quieter. Work confidently anywhere, without disturbing those around you.
- Triple-device connectivity: 1 x 2.4G Wireless + 2 x Bluetooth; switch seamlessly with a button press.
- Powered by 1 x AA battery (12+ months battery life).
- Adjustable DPI: 1000 / 1600 / 2400 / 3200.
- Forward and back navigation side keys.
- Soft real rubber grips for enhanced comfort and control.
- Dimensions: 104.57 x 64.41 x 39.2 mm.



M621

Gaming Audio Mixer

Audio: B104882 chip, 20Hz~20kHz frequency response, THD <0.05%,
≥105dB dynamic range, ≥85dB SNR, 48kHz/16-bit (also supports 44.1kHz).
Headphone output: 20mV/32Ω.

Connectivity: USB-C (data + power), DC 5V/1A input, Bluetooth 5.0 (some variants: 4.2).
Inputs: XLR/TRS mic, 3.5mm TRRS mic (disables XLR), AUX IN. Outputs: 3.5mm headphone + LINE OUT.

Features: 4 voice changers, 5 scene modes, adjustable reverb, 3-level noise reduction, sidechain ducking, zero-latency monitoring, loopback, Bluetooth media controls, RGB lighting (solid/gradient/rainbow).

Controls: 8 programmable sound keys, 2 effect keys, 13 function keys, mute toggles (mic/accompaniment), dual faders (mic/music), knobs (gain/reverb/volume), switches (power/48V phantom/BT).



DK215

Wireless Keyboard and

Keyboard:
1. BT + 2.4G wireless range: 10m
2. Key number: 105 keys
3. Color: Space Gray
4. Port: Type-C
5. Voltage requirement: 3.7V / 3mA (MAX)
6. Battery capacity: 400mAh
7. Net weight: 480g ±5g
8. Material: ABS / Plastic panel
9. System compatibility: Windows, macOS, Android
10. Glow mode: No backlight
11. Size: 384 * 130 * 18mm



DM605

Quiet Clicks Mouse With Magspeed scroll wheel

- 4-way metal scroll wheel (up/down/left/right) with fast flying scroll (Scroll 1,000 lines per second).
- Quiet Clicks—up to 90% quieter. Work confidently anywhere, without disturbing those around you.
- Triple-device connectivity: 1 x 2.4G Wireless + 2 x Bluetooth; switch seamlessly with a button press.
- Powered by 1 x AA battery.
- Adjustable DPI: 1000 / 1600 / 2400 / 3200.
- Forward and back navigation side keys.
- Soft real rubber grips for enhanced comfort and control.
- Physical on/off switch on the bottom; low-power indicator on the top.
- Dimensions: 98.3 x 62.38 x 35.22 mm.



DM607

Ergonomic Mouse With Magspeed scroll wheel

- Dual ergonomic scroll wheels: a dedicated thumb wheel for left/right scrolling, and a fast flying metal scroll wheel (scroll 1,000 lines per second).
- Quiet Clicks—up to 90% quieter. Work confidently anywhere, without disturbing those around you.
- Triple-device connectivity: 1 x 2.4G Wireless + 2 x Bluetooth; switch seamlessly with a button press.
- Powered by a rechargeable 500mAh lithium battery.
- Adjustable DPI: 1000 / 1600 / 2400 / 3200.
- Soft real rubber grips with left/right keys for enhanced comfort and control.
- One-key back to desktop.
- Dimensions: 122.6 x 65 x 50.3 mm.



Empower Your Workstation

with 



DV401

AI-Powered Smart Alarm Clock

2.8" High-Def LCD Display
Built-in Wi-Fi Connected | AI Chat Model-Interactive Learning |
Smart Alarm & Sleep Assistant|Study Timer

8 Languages Supported (Incl. CN/EN/ES/FR/DE/RU;
pre-set at the factory and cannot be modified.)
Screen: 2.8-inch (240×320 IPS)
Material: Eco-friendly Plastic + Silicone
Speaker: 3W
Connectivity: 2.4GHz/5GHz Wi-Fi | USB-C Charging
Battery: 1500mAh (72h of battery life for 2h of charging)
Storage: TF Card (32GB Max)
Allwinner XR872ATS Chip inside
Weight: 307g



CUE42

AI-Powered USB Hub

AI features require client software:
<https://www.miclink.net/AIOFFICE/>

Built-in AI voice recognition (57 languages) | One-key translation
(67 languages to 110 target languages)
Smart Voice Translation (Supports 57 languages) | Covers major
languages and dialects (e.g., Cantonese, Arabic)
One-Key Voice Translation
Hotkey operation: Ctrl+Shift+2 (Customizable) | Real-time cross-
language conversion
System Compatibility: Windows / macOS
Net weight: 29g



M908

AI-Powered Desktop Dynamic Microphone

(AI features require client software:
<https://www.miclink.net/AIOFFICE/>)

Built-in AI Noise Reduction | Real-time Transcription | Dual-Mode
Switching
Cardioid Polar Pattern, 48kHz/24-bit HD, Anti-Shock Structure
Power Supply: USB-C Bus Powered (No external adapter needed)
Supported Languages: Chinese/English/Japanese/Korean
Other Features: Multi-function Knob (Press for power | Rotate for
volume | Press for mode switch)
Indicator: Dual-color LED (Green: Standard Mode | Blue: AI Mode)
Net weight: 179g



M930

AI-Powered Language Translator Badge

AI features require client software: AIGSM(Available on App Store, Google play)

40×50×5.5mm, 20.57g, Aluminum.
Polymer battery provides 60 days of standby time.
Offline translation in 144 languages, covering mainstream language needs.
Full functionality available when connected to Wi-Fi, basic needs can still be met offline.

1. Voice Translation
 - Online: 144-language real-time two-way voice translation, allowing simultaneous dialogue.
 - Offline: 16-language instant interpretation, usable without network.
2. Text Translation
 - Photo: Translate text in images (144 languages online / 100+ offline).
 - Text: Quick translation of copied text from any app (online).
3. Social Translation
 - Cross-App: Real-time translation in chats (WeChat, WhatsApp, etc.).
 - Video Calls: Live translation for 144 languages (text display).
4. Convenience
 - Group Chats: Auto-sync translation for multi-language groups via QR code.
 - One-tap photo translation, swipe-to-translate in videos, and voice output for results.



**Never lose your cards.
Track your wallet with Find My.**



 Work with
Apple Find My



F15PC

**Findmy Card**

1. Ultra-thin, with a thickness of 1.5 millimeters, thinner than two bank cards.
2. IP68 waterproof and durable.
3. Wireless charging.
4. Global positioning.
5. No need for SIM card or APP fees.
6. Apple MFI certification.
7. Optional colors: black, customizable colors.

*Telink domestic chip.
*Cold pressing process card.
*Supports iOS.
*Wireless charging battery, the battery can work for 1-2 months after each charge.



Work with
Apple FindMy



M-BL028

**Aluminum Carabiner - with Find My Network**

Works with Apple Find My
The Stealthy Tracker, Instant Locate.
Bluetooth5.3, Accelerometer Sensor
Size: 44*86.6*8.4mm
Aluminum shell
Net weight: 25.7g
Volume: 80-100dB
Bluetooth Connection distance: 50m (unobstructed)
Battery: CR2032(210mAh)
16 months Battery life
Compatible with: iPhones/iPad with iOS14.5 and later



Work with
Apple FindMy



MC13

**Findmy Wallet**

1. MagSafe wireless charging
2. Global positioning, reminder for lost items
3. Strong and durable hinge, can be smoothly opened to any angle Degree
4. It is both a card holder and a multi-angle support device
5. Equipped with powerful magnets, it can provide stable support at any angle
6. A slight tilt can accommodate 2-3 cards
7. No SIM card required, no APP fees
8. Apple MFI certified
9. Available colors: black, brown, customizable colors
10. Size: 9.5cm * 6.5cm



M-BL016

**Luggage Tag Holder - with Find My Network and Wireless Charging**

Works with Apple Find My
Label with Ease, Locate Luggage
Bluetooth5.3, Accelerometer Sensor
Volume: 80-100dB
Bluetooth Connection distance: 50m (unobstructed)
Battery: Lithium polymer batteries (100mAh)
Charging: Wireless charging
8 months Battery life (rechargeable)
Waterproof level: IPX8
Compatible with: iPhones/iPad with iOS14.5 and later



Work with
Apple FindMy



MC03

**Findmy Wallet**

1. MagSafe Wireless Charging
2. Global Positioning - Reminder for Lost Items
3. Rotating Cover Design - Large Capacity
4. Both Card Holder and Stand
5. Built-in Strong Magnet - Securely Stabilized with a Single Pull
6. Two Card Slots Can Hold 2-3 Cards
7. No SIM Card Required, No App Fee
8. Apple MFI Certified
9. Optional Colors: Black, Brown, Customizable Colors
10. Size: 9.5cm * 6.5cm
11. PU + Rotating Shaft + Magnet + Iron Sheet + Spring Piece + PC



M-BL017

**TS4 Approved Luggage Lock - with Find My Network**

Works with Apple Find My
TS4 Approved Zinc alloy lock with personal combination
Bluetooth5.3, Accelerometer Sensor
Size: 49 * 101 * 14mm
Zinc Alloy, ABS
Net weight: 101g
Volume: 80-100dB
Bluetooth Connection distance: 50m (unobstructed)
Battery: CR1632 button battery (120mAh)
9 months Battery life
Compatible with: iPhones/iPad with iOS14.5 and later



Work with
Apple FindMy



M-BL029

**Key Organizer - with Find My Network**

Works with Apple Find My
Hold 4 keys. Organize carry. Locate them instantly.
Size: 21*71.2*20mm
Aluminum, ABS
Net weight: 25.4g
Volume: 80-100dB
Bluetooth Connection distance: 50m (unobstructed)
Battery: CR1632 button battery (120mAh)
8 months Battery life
Compatible with: iPhones/iPad with iOS14.5 and later

Work with
Apple FindMy

M-K03

**Magnetic Wallet - with Find My Network and Wireless Charging**

Works with Apple Find My
Built-in Strong Magnet
Single Card Slot
Size: 9.6 * 6.6 * 0.78mm
Net weight: 37.9g
Volume: 80-100dB
Bluetooth Connection distance: 50m (unobstructed)
Battery: Lithium polymer batteries (170mAh)
8 months Battery life (rechargeable)
Compatible with: iPhones/iPad with iOS14.5 and later

Work with
Apple FindMy

M-K07

**Luggage Tag Holder - with Find My Network and Wireless Charging**

Works with Apple Find My
Label with Ease, Locate Luggage
Bluetooth 5.3, Accelerometer Sensor
Size: 53 * 205 * 12.5mm
Net weight: 53.7g
Volume: 80-100dB
Bluetooth Connection distance: 50m (unobstructed)
Battery: CR2032(210mAh)
Charging: Wireless charging
12 months Battery life
Waterproof level: IPX8
Compatible with: iPhones/iPad with iOS14.5 and later

Work with
Apple FindMy

M-K01

**Magnetic Wallet Stand - with Find My Network and Wireless Charging**

Works with Apple Find My
Rotating Cover Design - Large Capacity
Both Card Holder and Stand
Built-in Strong Magnet
Three Card Slots
Size: 10.4 * 6.3 * 1.26mm
Net weight: 93g
Volume: 80-100dB
Bluetooth Connection distance: 50m (unobstructed)
Battery: Lithium polymer batteries (170mAh)
8 months Battery life (rechargeable)
Compatible with: iPhones/iPad with iOS14.5 and later

Work with
Apple FindMy

M-F15

**Metal Keychain - with Find My Network**

Works with Apple Find My
The Stealthy Tracker, Instant Locate.
Bluetooth 5.3, Accelerometer Sensor
Size: 29.7*82.9*8.9mm
Zinc shell
Net weight: 27.8g
Volume: 80-100dB
Bluetooth Connection distance: 50m (unobstructed)
Battery: CR2032(210mAh)
12 months Battery life
Compatible with: iPhones/iPad with iOS14.5 and later

Work with
Apple FindMy

M-F17

**Smart Tracking Card - with Find My Network and Wireless Charging**

Works with Apple Find My
Find the wallet, with the card that fits inside it.
Bluetooth 5.3, Accelerometer Sensor
Size: 86 * 54 * 2.4mm
Net weight: 12.4g
Volume: 80-100dB
Bluetooth Connection distance: 50m (unobstructed)
Battery: Lithium polymer batteries (170mAh)
Charging: Wireless charging
8 months Battery life (rechargeable)
Waterproof level: IPX8
Compatible with: iPhones/iPad with iOS14.5 and later

Work with
Apple FindMy

Hot-sale & New Arrivals



USB-C

The Future of Connectivity

240W

8P 240W
8P 240W



CU580M



USB-C 80Gbps USB4 Cable

Material: Aluminum shell + Nickel Plated plug
 Data transfer: 80Gbps USB4
 Power: Built in E-Marker Chip support 240W/100W
 Video: Dual screens at 8K@60Hz,
 Single screen at 16K@60Hz
 Compatible with Thunderbolt 4/3, USB3.2 & 3.1 Transfer protocol
 Function: Charge, Data Transfer, Video, Audio



CU581



USB V2.0 240W Cable Portable Keychain

TYPE-CM/CM
 Full-Function High-Speed
 Flat Cable
 Bandwidth: 80Gbps
 Maximum video resolution: 8K@60Hz
 Keychain design
 L=0.2m
 240W | Aluminum Shell + TPE Jacket, Nickel-Plated

CU582



USB4 V2.0 240W Cable

TYPE-CM/CM
 Full-Function High-Speed
 Flat Cable
 Bandwidth: 80Gbps
 Maximum video resolution: 8K@60Hz
 Keychain design
 L=0.2m
 240W | Aluminum Shell + TPE Jacket, Nickel-Plated



CU582RA



USB4 V2.0 240W L-Type Cable

TYPE-CM/CM
 Straight-to-Center-Symmetrical 90°
 Full-Function High-Speed
 Flat Cable
 Bandwidth: 80Gbps
 Maximum video resolution: 8K@60Hz
 L=0.8m
 240W | Aluminum Shell + TPE Jacket, Nickel-Plated

CU582RC



USB4 V2.0 240W L-Type Cable

TYPE-CM/CM
 Straight-to-Right-Angle 90°
 Full-Function High-Speed
 Flat Cable
 Bandwidth: 80Gbps
 Maximum Video resolution: 8K@60Hz
 L=0.13m
 240W | Aluminum Shell + TPE Jacket, Nickel-Plated



CU582RD



USB4 V2.0 240W L-Type Cable

TYPE-CM/CM
 Straight-to-Right-Angle 90°
 Full-Function High-Speed
 Flat Cable
 Bandwidth: 80Gbps
 Maximum video resolution: 8K@60Hz
 L=0.13m
 240W | Aluminum Shell + TPE Jacket, Nickel-Plated

CU583



USB4 V2.0 240W Extension Cable

TYPE-CM/CF
 Full-Function High-Speed
 Flat Extension Cable
 Bandwidth: 80Gbps
 Maximum video resolution: 8K@60Hz
 L=0.13m
 240W | Aluminum Shell + TPE Jacket, Nickel-Plated



CU545



USB4/Thunderbolt 4 240W Magnetic Coaxial Cable (Self-Coiling Edition)

Connector Type: TYPE-C (Male/Male)
 Coaxial Design, Nickel-Plated
 Self-Coiling via Magnetic
 Cable Length: 1 m
 Data Transmission: Thunderbolt 4 & USB4 Dual Protocol Support, 40Gbps (Gen 3)
 Video Support: DP Alt Mode (8K@60Hz, 4K@120Hz)
 Power Delivery: PD 3.1 EPR, 240W (50V/5A)
 Fast Charging Protocols: PD3.1, PD3.0, QC4+, PPS



CU585

USB4 V2.0 Portable Keychain 240W,80Gbps,8K@60Hz

TYPE-CM/CM
Straight Connector,Blue Indicator
Full-Function High-Speed
Flat Cable
Bandwidth: 80Gbps
L=0.12m
Net weight: 11g
Maximum video resolution: 8K@60Hz
Keychain design
240W | TPE Shell + TPE Jacket, Nickel-Plated
Available Color:Gray, Black, Yellow, White



CU586

Bottle Opener Charging Cable

TYPE-CM/AM
Bandwidth: 480Mbps
L=0.2m
Net weight: 34g
Bottle Opener design
27W | ABS Shell with Aluminium plate + TPE Jacket,
Nickel-Plated
Available Color:Black, White



CU514

USB2.0 Portable Keychain , 60W,480Mbps

Connector Type: Dual (USB-C + Lightning) to Dual (USB-C + USB-A)
Straight Connector
Flat Cable
Bandwidth: 480Mbps
L=0.15m
Net weight: 30g
Keychain design
60W(C to C); 18W(A to C); 10W(A to L); 27W(C to L) | Aluminum Shell + TPE Jacket, Nickel-Plated
Available Color:Blue, Black, Purple, Rose Gold



CU514D

USB2.0 Portable Keychain , 240W, 480Mbps

Connector Type: Dual (USB-C + Lightning) to Dual (USB-C + USB-A)
Straight Connector
Flat Cable
Bandwidth: 480Mbps
L=0.15m
Net weight: 21g
Keychain design
240W(C to C); 10W(A to L); 27W(C to L) | Aluminum Shell + TPE Jacket, Nickel-Plated
Available Color: Dark Blue, Black, Dark Red
Real-time monitoring with auto-switching display for Voltage (V), Current (A), and Power (W)



CU513

USB2.0 ,100W 480 Mbps

USB-CM/CM
Straight Connector
With a non-slip grip for easy unplug
Bandwidth: 480 Mbps
L=2m
100W | Aluminum Shell + TPE Jacket, Nickel-Plated

**CU514B**

USB2.0 Neck Strap , 240W, 480Mbps

Connector Type: Dual (USB-C + USB-A) to Dual (USB-C + Lightning)
Straight Connector
Bandwidth: 480Mbps
L=1.2m
OD:5.7mm
Net weight: 103g
Neck Strap Design
240W(C to C);18W(A to C);10W(A to L);27W(C to L)
Zinc Shell + Cotton Jacket, Nickel-Plated
Available Color: Orange

**CU505B**

USB-C to USB-C Braided, 60W, 480Mbps

USB-C/CM
Straight Connector, Nylon Braided Cable
Bandwidth: 480Mbps
Cable color: Orange
Core structure: 5-core, 50/0.082 + 10/0.083
L=1m
Net weight:30g
OD=3.1mm
60W | ABS Shell + Nylon Braided Jacket, Nickel-plated

**CU505F**

USB-C 60W Cable

TYPE-CM/CM
Straight Connector
Flat Cable
Bandwidth: 480Mbps
L=1.2m
Net weight: 35g
60W | Aluminum Shell + TPE Jacket, Nickel-Plated
Available Color:Orange

**CU510D**

USB-C 100W Magnetic Cable (Self-Coiling Edition) with Digital Display

USB-CM/CM
Self-Coiling Magnetic
Bandwidth: 480 Mbps
L = 1 m
OD=3.9mm
100W | Zinc Shell + Nickel-Plate
Available Lengths: 1m, 1.5m, 3m
Charging, Data transfer, and OTG Support
Real-time monitoring with auto-switching display
for Voltage (V), Current (A), and Power (W)

**CU515**

USB4 Spring Coiled Cable with Extension, 140W, 480Mbps

Spring Coiled Cable Connector Type: Dual (USB-C + USB-A)
to Dual (USB-C + USB-A)
Extension Connector Type: USB-CF to USB-C/Micro-USB/Lightning
Straight Connector
Spring Coiled Cable
Bandwidth: 480Mbps
L=1.2m
Net weight:97g
OD=5.7mm
140W | Zinc Shell + PVC Jacket, Gold-plated

**CU505Bs**

USB-C 60W Cable


TYPE-CM/CM
Straight Connector
Bandwidth: 480 Mbps
L=1m
OD:4.6mm
Net weight: 34g
60W | ABS Shell + ABS Jacket, Nickel-Plated
Available Color:Orange

**CU505Fs**

USB-C 60W Magnetic Cable (Self-Coiling Edition)

TYPE-CM/CM
Straight Connector
Self-Coiling Magnetic
Flat Cable
Bandwidth: 480Mbps
L=1.2m
Net weight: 48g
60W | Aluminum Shell + TPE Jacket, Nickel-Plated
Available Color:Orange





CU522SC

USB4 Spring Coiled, 140W,20Gbps,8K@60Hz

TYPE-CM/CF
Straight Connector, Blue Indicator, with Twist-lock
Full-Function High-Speed
Spring Coiled Cable
Bandwidth: 20Gbps
Maximum video resolution: 8K@60Hz
L=1.8m
OD=5.7mm
140W | Zinc Shell + PVC Jacket, Gold-plated



CU523SC

USB4 Spring Coiled, 140W,20Gbps,8K@60Hz

TYPE-CM/CM
Straight Connector, Blue Indicator, with Twist-lock
Full-Function High-Speed
Spring Coiled Cable
Bandwidth: 20Gbps
Maximum video resolution: 8K@60Hz
L=1.8m
OD=5.7mm
140W | Zinc Shell + PVC Jacket, Gold-plated



CU522

USB4 , 140W,20Gbps,8K@60Hz

TYPE-CM/CF
Straight Connector, Blue Indicator, with Twist-lock
Full-Function High-Speed
Bandwidth: 20Gbps
Maximum video resolution: 8K@60Hz
L=1m
OD=5.7mm
140W | Zinc Shell + PVC Jacket, Gold-plated



CU523

USB4 , 140W,20Gbps,8K@60Hz

TYPE-CM/CM
Straight Connector, Blue Indicator, with Twist-lock
Full-Function High-Speed
Bandwidth: 20Gbps
Maximum video resolution: 8K@60Hz
L=1m
OD=5.7mm
140W | Zinc Shell + PVC Jacket, Gold-plated





USB Adapter Series

USB Adapter

CA458

USB-C Female to DP 1.4 Male Adapter

Connector Type: USB Type-C (Male) to DisplayPort (Male)
Video Resolution: Up to 8K@60Hz
Chip: RTSS459
Housing: Aluminum
Protocol: Compliant with DisplayPort Alt Mode, USB Type-C Specification, and DisplayPort 1.4
Plug & Play: No Driver Required, Hot-Pluggable



CA445A

USB-C to USB-C Adapter, 100W, 40 Gbps

TYPE-CM/CF
Full-Function High-Speed (Bidirectional)
N52-grade neodymium magnet Straight Connector
Bandwidth: 40 Gbps
Maximum video resolution: 8K@60Hz
100W | Aluminum shell, Gold-plated
Available Color: Space Gray

Charging, Data Transfer, and OTG Support



CA445C

USB-C to USB-C Adapter L-Type, 100W, 40 Gbps

TYPE-CM/CF
Full-Function High-Speed (Bidirectional)
N52-grade neodymium magnet Connector,
Straight-to-Right-Angle 90° Connector, with Indicator
Bandwidth: 40 Gbps
Maximum video resolution: 8K@60Hz
100W | Aluminum shell, Gold-plated
Available Color: Space Gray

Charging, Data Transfer, and OTG Support



CA445B

USB-C to USB-C Adapter L-Type, 100W, 40 Gbps

TYPE-CM/CF
Full-Function High-Speed (Bidirectional)
N52-grade neodymium magnet Connector,
Straight-to-Right-Angle 90° Connector, with Indicator
Bandwidth: 40 Gbps
Maximum video resolution: 8K@60Hz
100W | PC, Gold-plated
Available Color: Space Gray

Charging, Data Transfer, and OTG Support



CA480A

USB-C to USB-A Adapter, 120W, 10Gbps

USB-CM/AF
Straight Connector, Blue Indicator
Bandwidth: 10 Gbps
QC 5V/9V/12V (up to 120W via Xiaomi private protocol)
PC, Nickel-Plated
Available Color: Blue, Smoke Black, Yellow, Transparent

Charging, Data Transfer, and OTG Support



CA445D

USB-C to USB-C Adapter L-Type, 100W, 40 Gbps

TYPE-CM/CF
Full-Function High-Speed (Bidirectional)
N52-grade neodymium magnet Connector,
Straight-to-Center-Symmetrical 90° Connector
Bandwidth: 40 Gbps
Maximum video resolution: 8K@60Hz
100W | Aluminum shell, Gold-plated
Available Color: Space Gray

Charging, Data Transfer, and OTG Support



CA445U

USB-C to USB-C Adapter U-Shaped, 100W, 40 Gbps

TYPE-CM/CF
Full-Function High-Speed (Bidirectional)
N52-grade neodymium magnet U-Shaped Connector
Bandwidth: 40 Gbps
Maximum video resolution: 8K@60Hz
100W | PC, Gold-plated
Available Color: Space Gray

Charging, Data Transfer, and OTG Support



CA445E

USB-C to USB-C Adapter L-Type, 100W, 40 Gbps

TYPE-CM/CF
Full-Function High-Speed(Bidirectional)
N52-grade neodymium magnet Connector,
Straight-to-Center-Symmetrical 90° Connector,
with Indicator & Lanyard hole
Bandwidth: 40 Gbps
Maximum video resolution: 8K@60Hz
100W | Aluminum shell, Gold-plated
Available Color: Space Gray

Charging, Data Transfer, and OTG Support



CA463A

Micro-USB to TYPE-C Adapter

Micro-USB F/CM
Straight Connector, with lanyard hole
Bandwidth: 480 Mbps
18W | Aluminum, Nickel-Plated
Available Color: Space Gray

Charging, Data Transfer, and OTG Support



CA464B

TYPE-C to Lightning Adapter

Type-CF/Lightning M
Straight Connector, with lanyard hole
Bandwidth: 480 Mbps
18W | Aluminum, Nickel-Plated
Available Color: Space Gray

Charging, Data Transfer, and OTG Support



CA466A

TYPE-C to Mini-USB Adapter

Type-CF/Mini-USB M
Straight Connector, with lanyard hole
Bandwidth: 480 Mbps
15W | Aluminum, Nickel-Plated
Available Color: Space Gray

Charging, Data Transfer, and OTG Support



CA463B

TYPE-C to Micro-USB Adapter

Type-CF/Micro-USB M
Straight Connector, with lanyard hole
Bandwidth: 480 Mbps
15W | Aluminum, Nickel-Plated
Available Color: Space Gray

Charging, Data Transfer, and OTG Support



CA464A

Lightning to TYPE-C Adapter

Lightning F/CM
Straight Connector, with lanyard hole
Bandwidth: 480 Mbps
35W | Aluminum, Nickel-Plated
Available Color: Space Gray

Charging, Data Transfer, and OTG Support



CA465A

Micro-USB to Lightning Adapter

Micro-USB F/Lightning M
Straight Connector, with lanyard hole
Bandwidth: 480 Mbps
18W | Aluminum, Nickel-Plated
Available Color: Space Gray

Charging, Data Transfer, and OTG Support



CA467A

Micro-USB to Mini-USB Adapter

Micro-USB F/Mini-USB M
Straight Connector, with lanyard hole
Bandwidth: 480 Mbps
15W | Aluminum, Nickel-Plated
Available Color: Space Gray

Charging, Data Transfer, and OTG Support



CA465B

Lightning to Micro-USB Adapter

Lightning F/Micro-USB M
Straight Connector, with lanyard hole
Bandwidth: 480 Mbps
15W | Aluminum, Nickel-Plated
Available Color: Space Gray

Charging, Data Transfer, and OTG Support



USB Adapter

CA461

USB-C to USB-C Adapter, 100W, 20Gbps

USB-CM/CF
Full-Function High-Speed (Bidirectional)
U-Shaped Connector(11mm Gap),with Indicator
Bandwidth: 20 Gbps
Maximum video resolution: 4K@60Hz
100W | Aluminum shell,Nickel-Plated
Available Color: Space Gray, Silver

Charging, Data Transfer, and OTG Support

20 Gbps 100W 60Hz



DU704CA

USB Extension adapter, 15W power supply, 10Gbps

USB-CF/AF
Straight Connector,with Indicator
Bandwidth: 10 Gbps
15W Enhance power supply|Aluminium shell,
Nickel-Plated
Available Color: Space Gray, Silver

Data Transfer, and OTG Support
Signal extension: 10m

10 Gbps 15W



DU704CC

USB Extension adapter, 15W power supply, 10Gbps

USB-CF/CF
Straight Connector,with Indicator
Bandwidth: 10 Gbps
15W Enhance power supply|Aluminium shell,
Nickel-Plated
Available Color: Space Gray, Silver

Data Transfer, and OTG Support
Signal extension: 10m

10 Gbps 15W



CA482A

Lightning to USB-C Adapter, 35W, 480 Mbps

Lightning M/CF
Straight Connector,with Indicator
Bandwidth: 480 Mbps
35W | PC shell,Nickel-Plated
Available Color: Smoke Black

Charging, Data Transfer, and OTG Support

35W 480 Mbps



CA461B

USB-C to USB-A Adapter, 15W, 10Gbps

USB-CM/AF
U-Shaped Connector(11mm Gap),with Indicator
Bandwidth: 10 Gbps
15W | Aluminum shell,Nickel-Plated
Available Color: Space Gray, Silver

Data Transfer, and OTG Support

10 Gbps 15W



DU704AC

USB Extension adapter, 15W power supply, 10Gbps

TYPE-AF/CF
Straight Connector,with Indicator
Bandwidth: 10 Gbps
15W Enhance power supply|Aluminium shell,
Nickel-Plated
Available Color: Space Gray, Silver

Data Transfer, and OTG Support
Signal extension: 10m

10 Gbps 15W



CA481A

USB-C to USB-C Adapter, 240W, 40Gbps

USB-CM/CF
Full-Function High-Speed (Bidirectional)
Straight Connector,with Indicator
Bandwidth: 40 Gbps
Maximum video resolution: 8K@60Hz
240W | PC shell,Nickel-Plated
Available Color: Smoke Black

Charging, Data Transfer, and OTG Support

240W 8K 60Hz



CA483A

Lightning to USB-C Adapter, 35W, 480 Mbps

Lightning F/USB-CM
Straight Connector,with Indicator
Bandwidth: 480 Mbps
35W | PC shell,Nickel-Plated
Available Color: Smoke Black

Charging, Data Transfer, and OTG Support

35W 480 Mbps



USB Adapter

CA480AD

USB-C to USB-A Adapter, 36W, 10 Gbps

USB-CM/AF
Straight Connector
Bandwidth: 10 Gbps
36W | PC shell, Nickel-Plated
Available Color: Smoke Black, Black

Charging, Data Transfer, and OTG Support
Real-time monitoring with auto-switching display
for Voltage (V), Current (A), and Power (W)

36W **10 Gbps**



CA485AD

USB-A to USB-C Adapter, 36W, 10 Gbps

TYPE-AM/CF
Straight Connector
Bandwidth: 10 Gbps
36W | PC shell, Nickel-Plated
Available Color: Smoke Black, Black

Charging, Data Transfer, and OTG Support
Real-time monitoring with auto-switching display
for Voltage (V), Current (A), and Power (W)

36W **10 Gbps**



CA481AD

USB-C to USB-C Adapter, 140W, 40 Gbps

USB-CM/CF
Full-Function High-Speed (Bidirectional)
Straight Connector
Bandwidth: 40 Gbps
Maximum video resolution: 8K@60Hz
140W | PC shell, Nickel-Plated
Available Color: Smoke Black

Charging, Data Transfer, and OTG Support
Real-time monitoring with auto-switching display
for Voltage (V), Current (A), and Power (W)

40
140W
8K
60Hz



CA481UD

USB-C to USB-C Adapter, 140W, 40 Gbps

USB-CM/CF
Full-Function High-Speed (Bidirectional)
U-Shaped Connector
Bandwidth: 40 Gbps
Maximum video resolution: 8K@60Hz
140W | PC shell, Nickel-Plated
Available Color: Smoke Black

Charging, Data Transfer, and OTG Support
Real-time monitoring with auto-switching display
for Voltage (V), Current (A), and Power (W)

40
140W
8K
60Hz



CA484AD

USB-A to USB-A Adapter, 36W, 10 Gbps

TYPE-AM/AF
Straight Connector
Bandwidth: 10 Gbps
36W | PC shell, Nickel-Plated
Available Color: Smoke Black, Black

Charging, Data Transfer, and OTG Support
Real-time monitoring with auto-switching display
for Voltage (V), Current (A), and Power (W)

36W **10 Gbps**



CA486AD

USB-C to USB-A Adapter, 36W, 10 Gbps

USB-CF/AF
Straight Connector
Bandwidth: 10 Gbps
36W | PC shell, Nickel-Plated
Available Color: Smoke Black, Black

Charging, Data Transfer, and OTG Support
Real-time monitoring with auto-switching display
for Voltage (V), Current (A), and Power (W)

36W **10 Gbps**



CA481BD

USB-C to USB-C Adapter, 140W, 40 Gbps

USB-CM/CF
Full-Function High-Speed (Bidirectional)
Straight-to-Right-Angle 90° Connector
Bandwidth: 40 Gbps
Maximum video resolution: 8K@60Hz
140W | PC shell, Nickel-Plated
Available Color: Smoke Black

Charging, Data Transfer, and OTG Support
Real-time monitoring with auto-switching display
for Voltage (V), Current (A), and Power (W)

40
140W
8K
60Hz
90° Elbow



CA481CD

USB-C to USB-C Adapter, 140W, 40 Gbps

USB-CM/CF
Full-Function High-Speed (Bidirectional)
Straight-to-Center-Symmetrical 90° Connector
Bandwidth: 40 Gbps
Maximum video resolution: 8K@60Hz
140W | PC shell, Nickel-Plated
Available Color: Smoke Black

Charging, Data Transfer, and OTG Support
Real-time monitoring with auto-switching display
for Voltage (V), Current (A), and Power (W)

40
140W
8K
60Hz
90° Elbow



USB Adapter

CA483BD

Lighting to USB-C Adapter , 35W, 480 Mbps

Lightning F/USB-CM
Straight-to-Center-Symmetrical 90° Connector
Bandwidth: 480 Mbps
35W | PC shell, Nickel-Plated
Available Color: Smoke Black

Charging, Data Transfer, and OTG Support
Real-time monitoring with auto-switching display
for Voltage (V), Current (A), and Power (W)



CA487AD

USB-C to USB-C Adapter , 140W, 40 Gbps

USB-CM/CM
Full-Function High-Speed (Bidirectional)
Straight Connector
Bandwidth: 40 Gbps
Maximum video resolution: 8K@60Hz
140W | PC shell, Nickel-Plated
Available Color: Smoke Black

Charging, Data Transfer, and OTG Support
Real-time monitoring with auto-switching display
for Voltage (V), Current (A), and Power (W)



CA492AM

USB-C to DP Adapter, 8K

USB-CM/DP F
N52-grade neodymium magnet Connector,
Straight-to-Center-Symmetrical 90° Connector
Bandwidth: 32.4 Gbps
Maximum video resolution: 8K@30Hz
Aluminum shell, Gold-plated
Available Color: Space Gray



CA494AM

USB-C to VGA Adapter

USB-CM/VGA F
N52-grade neodymium magnet Connector,
Straight-to-Center-Symmetrical 90° Connector
Bandwidth: 5.4 Gbps
Maximum video resolution: 1080P@60Hz
Aluminum shell, Gold-plated
Available Color: Space Gray



CA482BD

USB-C to lighting Adapter , 35W, 480 Mbps

USB-CF/Lighting M
Straight-to-Center-Symmetrical 90° Connector
Bandwidth: 480 Mbps
35W | PC shell, Nickel-Plated
Available Color: Smoke Black

Charging, Data Transfer, and OTG Support
Real-time monitoring with auto-switching display
for Voltage (V), Current (A), and Power (W)



CA488AD

USB-C to USB-C Adapter, 140W, 40 Gbps

USB-CM/CF
Full-Function High-Speed (Bidirectional)
Straight Connector
Bandwidth: 40 Gbps
Maximum video resolution: 8K@60Hz
140W | PC shell, Nickel-Plated
Available Color: Smoke Black

Charging, Data Transfer, and OTG Support
Real-time monitoring with auto-switching display
for Voltage (V), Current (A), and Power (W)



CA493AM

USB-C to Mini-DP Adapter, 8K

USB-CM/Mini-DP F
N52-grade neodymium magnet Connector,
Straight-to-Center-Symmetrical 90° Connector
Bandwidth: 32.4 Gbps
Maximum video resolution: 8K@30Hz
Aluminum shell, Gold-plated
Available Color: Space Gray



CA495AM

USB-C to RJ45 Adapter, 1000 Mbps

USB-CM/RJ45 F
N52-grade neodymium magnet Connector,
Straight-to-Center-Symmetrical 90° Connector
Bandwidth: 1000 Mbps
Aluminum shell, Gold-plated
Available Color: Space Gray



CA496AM

USB-C to USB-A Adapter, 15W, 10 Gbps

USB-CM/AF
N52-grade neodymium magnet Connector,
Straight-to-Center-Symmetrical 90° Connector
Bandwidth: 10 Gbps
Aluminum shell, Gold-plated
Available Color: Space Gray



DU706

DC Power to USB-CM Converter 140W

lenovo DC/USB-CM
140W | Aluminum, Nickel-Plated
Available Color: Space Gray



DU708

DC Power to USB-CM Converter 140W

4.5*0.6DC/USB-CM
140W | Aluminum, Nickel-Plated
Available Color: Space Gray



DU703

Modular DC to USB-C Power Converter 65W

Modular DC/USB-CM
L-Type Connector
DC Heads (6 Types):
• M (Square Head): 1.0×0.4.5mm - LENOVO
• K (7909): 7.9×0.9mm for IBM/LENOVO
• I (7450): 7.4×0.8mm for DELL/HP
• C (5525): 5.5×2.5mm for ASUS/IBM/HP/
FUJITSU
• O (4530): 4.5×3.0mm for DELL/HP
• G (4017): 4.0×1.7mm for ASUS/BENQ/
ACER/SONY

L=0.2m

65W (Rated Current: 3.25A-3.5A)|
Aluminum shell, Nickel-Plated
Available Color: Red, Black, White



DU707

DC Power to USB-CM Converter 140W

7.4*0.6DC/USB-CM
140W | Aluminum, Nickel-Plated
Available Color: Space Gray



DU709

DC Power to USB-CM Converter 140W

5.5*2.1DC/USB-CM
140W | Aluminum, Nickel-Plated
Available Color: Space Gray





VCOM INTERNATIONAL LTD.

Head Quarter

> 8th Floor, No. 12 Dongxuan Road, Huangpu District, Guangzhou
City, Guangdong Province, China

Cable & Electronic Factory

> Xiaopenggang Industrial Zone, Longxi Town, Boluo District,
Huizhou City, Guangdong Province, China
Tel: +86-752-6873123 Fax: +86-752-6873155